



CENTRAL PARK®

Date:
To,
The Advisor,
Ministry of Environment, Forest & Climate Change
North Regional Office,
Bays No.24-25, Sector 31-A, Dakshin Marg,
Chandigarh- 160030

Subject- Submission of Six-monthly Compliance Report for the period of October-2020 to April-2021 to September-2021 to be submitted in December-2021 of the Environmental Conditions/Safeguards for the Project " Residential Plotted Colony" at Sec-29,30,32 & 33, Tehsil , Sohna , District, Gurgaon, Haryana.

Ref: Environmental Clearance Letter No. SEIAA/HR/2017/634 dated 22.09.2017

Dear Sir,

With reference to the Submission of Six-monthly Compliance Report for the period April-2021 to September-2021 to be submitted in December-2021 of the Environmental Clearance obtained vide Environment Clearance Letter No SEIAA/HR/2017/634 Dated 22.09.2017 for the proposed project "Residential Plotted Colony" being developed by M/s St. Patricks Realty Pvt. Ltd. at Sector-29.30,32 & 33, Gurgaon, Haryana.

In this regard, as per the conditions laid down in the Environmental Clearance Letter, we are hereby submitting herewith six-monthly Compliance report along with all the requisite annexure and soft copy (CD) as per the guidelines of Ministry of Environment, Forest & Climate Change.

We hope that this will fulfil all the requirements.

Thanking You,

Yours Faithfully,

For St. Patricks Realty Pvt. Ltd.


(Authorized Signatory)

Name:- Chirag Gehlot

Contact No.- 9871640340

Email I.d:- info.patricks@centralpark.in

Copy to:

1. The Member Secretary, State Environment Impact Assessment Authority, Bays No. 55-58, Prayatan Bhawan, Sector-2, Panchkula, Haryana.
2. The Chairman, Haryana State Pollution Control Board, C-11, Sector-6, Panchkula, Haryana
3. Additional Director, CPCB, BSNL exchange, Sector-49C, Chandigarh-160047

ST. PATRICKS REALTY PRIVATE LIMITED

Corporate Office: The Median, Central Park Resorts, Sector 48, Gurugram, Haryana - 122018
Registered Office: The Room, Wing 2 and Wing 1, Central Park II, Sector 48, Sohna Road, Gurugram - 122018

Tel: 0124-6895000 ● Website: www.centralpark.in

CIN: U45200HR2008PTC037964

**SIX-MONTHLY COMPLIANCE REPORT OF STIPULATED
ENVIRONMENTAL CLEARANCE CONDITIONS**

Period of Compliance

(April, 2021 to September, 2021)

**“Residential Plotted Colony”
(Environmental Clearance vide Letter No.
SEIAA/HR/2017/634 dated 22.09.2017)**

**At
Sector-29, 30, 32 & 33, Tehsil-sohna, District-gurgaon,
Haryana**

**By
M/s St. Patricks Realty Pvt. Ltd.**

**At
Asset 5B, Hospitality District, Aerocity IGI Airport, New
Delhi - 37**

Submitted by:

**M/s Perfact Solutions
(Environment Consultant)
(ISO 9001:2015& ISO 14001:2015 Certified)
5th Floor, NN Mall, Mangalam Palace, Sector-3, Rohini,
New Delhi
Ph No. 011- 49281360**

December-2021

Contents

CHAPTER-I: PURPOSE OF THE REPORT	3
CHAPTER -II: INTRODUCTION	4
PROJECT DESCRIPTION	5
CHAPTER – III: CONSTRUCTION STATUS	5
Construction work is under progress.	6
CHAPTER – IV: POINT – WISE COMPLIANCE OF THE ENVIRONMENTAL CONDITIONS	9
Annexure-I	24
Copy of Environmental Clearance	25
Annexure-II	36
Copy of CTE (Consent to Establish)	37
Annexure-III	41
Monitoring Reports	42
Annexure-IV	48
Copy of Electricity Bill	49
Annexure-V	51
Copy of PUC certificate	52
Annexure-VI	59
Copy of Medical certificate	60
Annexure-VII	72
Copy of STP water bill	73

CHAPTER-I: PURPOSE OF THE REPORT

As per the “Sub Para (ii)” of “Para 10” of EIA Notification 2006, it is stated that “It shall be mandatory for the project management to submit half-yearly compliance reports in respect of the stipulated prior environmental clearance conditions/safeguards in hard and soft copies to the regulatory authority concerned, by June and December of each calendar year” and as per compliance of condition mentioned in Environment Clearance Letter Six monthly compliance reports should be submitted to the Haryana State Pollution Control Board and Regional Office, MOEF, GOI, Northern Region, Chandigarh.

It is mandatory to submit a Six-Monthly Compliance Report to show the status & compliance of all the Conditions mentioned in the Environment clearance Letter, along with monitoring of various Environmental Parameters (as per CPCB Norms).

The regulatory authorities in this case are Haryana State Pollution Control Board, Regional Office-MoEF (Chandigarh) and State Environment Impact Assessment Authority, Haryana.

Based on the Environmental Clearance Conditions mentioned in the EC Letter, a Compliance Report is prepared by the Perfect Solutions on behalf of Project Proponent; details of which are present in Chapter – “Compliance Report”.

Methodology for Preparation of Report is as follows:

1. Study of EC Letter & Related Documents,
2. Site Visits by a representative/team of Environment Consultant,,
3. Monitoring of Environment Parameters, viz. Ambient Air, Water, Noise, Soil & DG Sets,
4. Analysis of Samples collected during Monitoring,
5. Interpretation of Monitoring Results,
6. Compliance Report, explaining the entire Environmental Clearance conditions in the EC Letter and providing details w.r.t. each condition/ guideline.

CHAPTER -II: INTRODUCTION

It is a “Residential Plotted Colony” project located at Sector-29, 30, 32 & 33, Gurgaon, Haryana and being developed by M/s St. Patricks Realty Pvt. Ltd. Total Plot area of the project is 426566.3084 m², built up area will be 243038 m².

Particulars	Details of Project
Name of the project	Residential Plotted Colony”
Site address	Sector-29, 30, 32 & 33, Gurgaon, Haryana
Project activities	Main Plots, EWS Plots, NPNL Plots, Nursery School, Primary School, Nursing Home & Community Centre
Developed by	M/s St. Patricks Realty Pvt. Ltd.
Environment Clearance Letter No.	SEIAA/HR/2017/634 dated 22.09.2017
Consent to Establish	Obtained vide letter No. HSPCB/Consent/ : 329962318GUNOCTE4727624 dated 03.01.2018 valid from 03.01.2018 to 21.09.2024
Period of Compliance	Six Monthly Compliance Report for the period April-2021 to September-2021 to be submitted in December-2021
Construction Status	Under Construction as well as part operational

PROJECT DESCRIPTION

“Residential Plotted Colony” project located at Sector-29, 30, 32 & 33, Gurgaon, Haryana and being developed by M/s St. Patricks Realty Pvt. Ltd will have the following salient features: -

Description	Details as per Environmental Clearance dated 22.09.2017
Activity in the complex	430 no. of main plots, 158 no. of EWS plots, 197 no. of NPWL plots, 3 no. of Nursery School, 2 no. of Primary School, 2 no. of Nursing Home & Community Centre
Plot Area	426566.3084 m ² (105.4083 Acres)
Built-up Area	243038 m ²
Height	15 m
Water requirement	1159 KLD
Fresh water requirement	664 KLD
Waste water generation	947 KLD
STP capacity	1700 KLD
RWH pits	63 Nos.
Power requirement	6149.02 KW DHBVN
Solid Waste Generation	6536 Kg/day
Parking space proposed	520 ECS

CHAPTER – III: CONSTRUCTION STATUS

Construction work is under progress.

S. No.	Component	Construction status till December 2021
1.	Civil Construction (Structural Work, Brick Work & Plaster Work)	-Structural work of 319 no. of plots has been completed -Brick Work - complete -Plaster Work - complete
2.	Dual Plumbing line	90% completed
3.	Electrical work	90% completed on developed plots
4.	Fire Fighting	Not Applicable
5.	Sewage Treatment Plant, Rain Water Harvesting	STP - 100% completed RWH – 100% complete
6.	D.G Room, LT Panel Room	100% completed
7.	Landscaping work	90% completed
8.	Finishing work	90% completed

Site Photographs:



CHAPTER – IV: POINT – WISE COMPLIANCE OF THE ENVIRONMENTAL CONDITIONS

Construction Phase Conditions		
S. No.	Environmental Conditions /Safeguards	Compliances
1.	“Consent for Establishment” shall be obtained from Haryana State Pollution Control Board under Air and Water Act and a copy shall be submitted to the SEIAA, Haryana before the start of any construction work at site.	We have obtained the Consent to Establish from Haryana State Pollution Control Board under Air & Water Act vide letter No. HSPCB/Consent/:329962318GUNOCTE4727 624 dated 03.01.2018 valid upto 21.09.2024. Copy of CTE enclosed as Annexure-II .
2.	A first Aid Room as proposed in the project report shall be provided both during construction and operational phase of the project.	Well maintained First Aid room with a first aid kit facility is provided at the site during construction and the same will continue during operation also.
3.	Adequate drinking water & sanitary facilities should be provided for construction workers at the site. Provision should be made for mobile toilets. Open defecation by the labourers is strictly prohibited. The safe disposal of solid wastes/ wastewater generated during the construction phase should be ensured. Efforts shall be made to provide mobile STP for treatment of wastewater during the construction phase.	Adequate drinking water & sanitary facilities have been provided for construction workers at the site. Safe disposal of wastewater & solid waste has been done. Temporary wash areas are constructed for laborers and good hygienic conditions are maintained at construction sites.
4.	All the top soil excavated during construction activities should be stored for use in horticulture /landscape development within the project site.	Top soil excavated during construction is properly stacked and covered under the green net for the use in horticulture /landscape development within the project site.

5.	The project proponent shall ensure that the building material required during construction phase is properly stored within the project area and disposal of construction waste should not create any adverse effect on the neighboring communities and should be disposed of after taking necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.	Building material required during the construction phase is properly stored within the earmarked area of the project area and muck generated during the construction phase is being utilised as a sub base for making the township road of the project site.
6.	Construction spoils including bituminous material and other hazardous material must not be allowed to contaminate water courses and the dump sites for such must be secured so that they should be not leach into the ground water and any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approval of the Haryana State Pollution Control Board.	There is no generation of any bituminous material at site except used oil generation from the DG Sets which is being disposed-off and given to the approved recycler of CPCB.
7.	The diesel generator sets to be used during the construction phase should be of ultra low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standard.	At present, DG Set of 500 KVA X 04 + 125 KVA X 01 installed for operational as well as construction purposes at the project site with adequate stack height which conforms to the rules made under E(P)A 1986 prescribed for air & noise emissions standards.
8.	The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.	The Diesel required for the DG set is stored in leak proof containers in an isolated area.

		We are not storing diesel more than 1000 litre at site and if we use more than the prescribed limit, permission will be taken.
9.	Ambient noise levels should conform to the residential standards both during the day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during the construction phase. Adequate measures should be taken to reduce ambient air and noise level during the construction phase, so as to conform to the stipulated Commercial/Industrial standards of CPCB/MoEF.	<p>To reduce noise level, movement of construction vehicles are carried during non-peak hours and construction machinery with lesser noise and vibration parameters are used.</p> <p>Incremental pollution loads on the Ambient Air and Noise quality is closely monitored. Copy of Ambient Air and Noise Monitoring Report is enclosed as Annexure-III</p>
10.	Fly ash should be used as a building material in the construction as per the provisions of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003.	We have utilized the fly ash-based material till date as 12000 MT as per the provisions of Fly Ash Notification of September, 1999 and amended as on 27th August, 2003.
11.	Storm water control and its reuse as per CGWB and BIS standards for various applications should be ensured.	We have the provision for Storm water control and its reuse inside our project.
12.	Water demand during construction should be reduced by use of pre-mixed concrete, curing and other best practices.	We are using pre-mixed concrete curing agents and other best practices to reduce the water demand during the construction phase.
13.	Roofs should meet prescribed requirements as per Energy Conservation Building Code by using appropriate thermal insulation material.	Roofs will be constructed by using thermal insulation material.

14.	Opaque wall should meet prescribed requirements as per Energy Conservation Building Code which is proposed to be mandatory for all air-conditioned spaces while it is desirable for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirements.	Opaque walls if required will be made as per Energy Conservation Building Code.
15.	The approval of the competent authority shall be obtained for structural safety of the building due to earthquake, adequacy of fire fighting equipment, etc. as per National Building Code including protection measures from lightning etc.	National Building Code will be followed .
16.	The project proponent shall construct 63 nos. rain water harvesting pits under expansion for recharging the groundwater within the project premises. Rain water harvesting pits shall be designed to make provisions for silting chamber and removal of floating matter before entering the harvesting pit. Maintenance budget and persons responsible for maintenance must be provided. Care shall also be taken that contaminated water does not enter any RWH pit.	Out of 63 nos. presently 31 nos. of Rain Water Harvesting Pits structures are completed for recharging the groundwater within the project premises. Desilting chambers, bar screens etc are provided to prevent contaminated water from entering any RWH pit. Regular maintenance of the same will be carried to take care of these aspects.
17.	The project proponent shall provide for adequate fire safety measures and equipment as required by Haryana Fire Service Act, 2009 and instructions issued by the local Authority /Directorate of Fire from time to time. Further the project proponent shall take	Fire NOC is not required for the buildings having building height within or equal to 15 meter.

	necessary permission regarding fire safety scheme/NOC from Competent Authority as required.	
18.	The Project Proponent shall obtain assurance from the DHBVN for supply of 6149.02 KVA of power supply before the start of construction. In no case will the project be operational solely on generators without any power supply from any external power utility.	Necessary assurance from the DHBVN for supply of 6149.02 KVA of power supply has already been submitted.
19.	Detailed calculation of Power load and ultimate power load of the project shall be submitted to DHBVN under intimation to SEIAA Haryana before the start of construction. Provision shall be made for electrical infrastructure in the Project area.	Details of power calculation of power load are already submitted along with the EIA report in SEIAA.
20.	The project proponent shall not raise any construction in the natural land depression/ nallah/ water Course and shall ensure that the natural flow from the Nallah/water course is not obstructed.	No natural land depression/ nallah/ water course exists within the project. No natural flow will be obstructed.
21.	The project proponent shall keep the plinth level of the building blocks sufficiently above the level of the approach road to the Project as prescribed by laws. Levels of the other areas in the Project shall also be kept suitably so as to avoid flooding.	We are complying with the condition by keeping the plinth level of the building blocks sufficiently above the level of the approach road as per the requirement.
22.	Construction shall be carried out so that density of population does not exceed norms	Approval from the Town and Country Department has been obtained and construction is carried out at site accordingly.

	as approved by the Director General Town and Country Department Haryana.	
23.	The project proponent shall submit an affidavit with the declaration that groundwater will not be used for construction and only treated water should be used for construction.	<p>No ground water extraction is proposed for construction as well as the operational phase of the project. If required, permission will be taken from CGWA.</p> <p>Affidavit in this regard has already been submitted along with EC application.</p> <p>STP Treated water from HUDA is being used for construction purposes. Copy of STP tanker water bill is enclosed as Annexure-VI</p>
24.	The project proponent shall not cut any existing tree and the project landscaping plan should be modified to include those trees in the green area.	We have not proposed any tree cutting of existing trees.
25.	The project proponent shall ensure the ECBC norms for composite climate zones are met. In particular building envelope, HVAC service, water heating, pumping, lighting and electrical infrastructure must meet ECBC norms.	We will comply with the ECBC norms once the project is operational.
26.	The project proponent shall provide a 3-meter-high barricade around the project area, dust screens for every floor above the ground, proper sprinkling and covering of stored material to restrict dust and air pollution during construction.	<p>Appropriate barricading around the project boundary has been provided and dust screens are also provided on every floor above the ground constructed.</p> <p>Water sprinkling is carried out regularly to avoid dust emission.</p>

27.	The project proponent shall construct a sedimentation basin in the lower level of the project site to trap pollutants and other wastes during rains.	Sedimentation basins will be provided to trap pollutants and other wastes during rains.
28.	The project proponent shall provide proper Rasta of proper width and proper strength for each project before the start of construction.	Proper Rasta of proper width and proper strength before the start of construction has been provided.
29.	The project proponent shall ensure that the U-value of the glass is less than 3.177 and maximum solar gain coefficient is 0.25 for vertical fenestration.	Noted & same shall be provided with the norms.
30.	The project proponent shall adequately control construction dusts like silica dust, non-silica dust, and wood dust. Such dusts shall not spread outside project premises. The project proponent shall provide respiratory protective equipment to all construction workers.	Dust emission during the construction is controlled by practicing sprinkling of water and covering of construction material at site. Personal protective equipment (proper mask) are provided to the construction workers for their health safety.
31.	The project proponent shall provide fire control room and fire officer for building above 30 meter as per National Building Code.	Height of the building is only 15 m. Hence it is not applicable to the project
32.	The project proponent shall obtain permission from the Mines and Geology Department for excavation of soil before the start of construction.	Noted.
33.	The project proponent shall seek specific prior approval from concerned local Authority/HUDA regarding provision of	Necessary approval shall be obtained. If required.

	storm drainage and sewage system including their integration with external services of HUDA/Local Authorities beside other required services before taking up any construction activity.	
34.	The project proponent shall discharge excess treated wastewater/storm water in public drainage system and shall seek permission of HUDA before the start of the construction.	Necessary approval shall be obtained. If required.
35.	The project proponent shall ensure that the structural stability to withstand earthquakes of magnitude 8.5 on the Richter scale.	Noted.
36.	Vertical fenestration shall not exceed 60% of the total wall area.	Noted and agreed.
37.	The project proponent shall ensure that the stack height is 6 meter more than the highest tower.	Adequate stack height has been provided with DG Sets.
38.	The project proponent shall maintain the distance between STP and water supply line.	Adequate distance is maintained between STP and water supply line.

PART B - GENERAL CONDITIONS:

Part –B. General Conditions		
S. No	Environmental Conditions/Safeguards	Compliances
1	The project proponent shall ensure the commitments made in Form-I, Form- 1A, EIA/EMP and other documents submitted to the SEIAA for the protection of environment and proposed environmental safeguards are	We ensure to comply with the commitments made in Form 1, Form 1A, EIA/EMP and other documents submitted for the protection of the environment in letter and spirit.

	<p>complied with in letter and spirit. In case of contradiction between two or more documents on any point the most environmentally friendly commitment on the point shall be taken as commitment by project proponent.</p>	
2	<p>The project proponent shall also submit Six monthly monitoring reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as email) to the Northern Regional office of MOEF, HSPCB, and SEIAA Haryana</p>	<p>Noted. We are submitting six monthly compliance reports and continue submitting the monitoring reports to the concerned department.</p>
3.	<p>STP outlet after stabilization and stack emission shall be monitored monthly. Other environmental parameters and green belt shall be monitored on a quarterly basis. After every 3(three) months, the project proponent shall conduct an environmental audit and shall take corrective measures, if required, without delay.</p>	<p>STP outlet is being monitored regularly after the operation of the project. Green belt is being maintained and monitored as per the requirement. Environmental audit is conducted as per the requirement.</p>
4.	<p>The SEIAA, Haryana reserves the right to add additional safeguard measures subsequently, if found necessary, Environmental clearance granted will be revoked if it is found that false information has been given for getting approval of this project. SEIAA reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of SEIAA/MOEF.</p>	<p>Noted</p>

5.	The project proponent shall not violate any judicial orders/pronouncements issued by any Court/Tribunal.	Noted. We will comply with all the requirements.
6.	All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act 1972, PLPA 1900, Forest Act, 1927 etc. shall be obtained, as applicable by project proponents from the respective authorities prior to construction of the project.	Necessary approvals will be obtained if required in due course of time.
7.	The project proponent should inform the public that the project has been accorded Environment Clearance by the SEIAA and copies of the clearance letter are available with the State Pollution Control Board & SEIAA. This should be advertised within 7 days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region and the copy of the same should be forwarded to SEIAA Haryana. A copy of environmental Clearance conditions shall also be put on project proponent's website for public awareness.	We have complied with the requirement.
8.	Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the Project Proponent if it was found that construction of the project has	Noted.

	been started before obtaining environmental clearance.	
9.	Any appeal against the Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under section 16 of the National Green Tribunal Act, 2010.	Noted.
10	Corporate Environment and Social Responsibility (CSER) shall be laid down by the project proponent (2% shall be earmarked) as per the guidelines of MOEF, GOI office Memorandum No. J-11013/41/2006-IAII (I) dated 26.04.2012 within 3 months of issuance of this letter. A separate audit statement shall be submitted in compliance. Environment related work proposed to be executed under this responsibility shall be undertaken simultaneously. The project proponent shall select and prepare a list of the work for implementation of CSER of its own choice and shall submit the same before the start of construction.	Audited Statement of Corporate Environment and Social responsibility of the company will be submitted.
11.	The fund ear-marked for environment protection measures should be kept in separate account and should not be diverted for other purposes and year wise expenditure shall be reported to the SEIAA/RO MoEF, GOI under rules prescribed for Environment Audit.	Separated funds shall be earmarked for environmental protection.

12	The project proponent shall ensure the compliance of the Forest Department, Haryana Notification no. S.O. 121/PA2/1900/S.4/97 dated: 28.11.1997.	Complied with the compliance mentioned.
13	The project proponent shall ensure that no vehicle during construction/ operation phase enters the project premises without valid pollution under control certificate from competent Authority.	Vehicles operated with valid PUC certificates Copy of valid PUC certificate is enclosed as Annexure-V .
14	Besides the developer/applicant, the project proponent is responsible to ensure the compliance of Environmental Safeguards/conditions imposed in the Environmental Clearance letter shall also lie on the licensee/licensees in whose name/names the license/CLU has been granted by the Town & Country Planning Department, Haryana.	Noted. and shall be complied.
17	The Proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to be the Regional office of MoEF, the respective Zonal Office of CPCB and SPCB. The criteria pollutant levels namely; PM2.5, SOx, NOx, Ozone, Lead, CO, Benzene, Ammonia Benzopyrine, Arsenic and Nickel. (Ambient levels as well as stack emission) or criteria sectoral parameters, indicated for the	Noted & Complied

	project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.	
16	The Environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the HSPCB Panchkula as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also put on the website of the company along with the status of compliance the EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.	Noted & Complied
18	The Project Proponent shall conduct an environmental audit at every 3 months interval and thereafter corrected measures shall be taken without any delay. Details of environmental audit and corrective measures shall be submitted in the monitoring report.	Noted & Audit is done regularly .
19	The project proponent shall seek fresh environmental clearance in case any modification/revision is required at a later stage due to exchange of revenue rasta existing in the project area or change in any plan due to combined zoning plan.	Noted and shall be complied, if required
20	The validity of this environmental clearance letter is valid up to 7 years from the date of issuance of EC letter. The Environment Clearance conditions applicable till life space	Noted and shall be complied

	<p>project in case of Residential project will continue to apply. The resident welfare association/Housing co-operatives societies shall be responsible to comply with the conditions laid down in EC. In case of violation the action would be taken as per the laid down law of land. Compliance report should be sent to this office till the life of the project.</p>	
--	---	--

Annexure-I

Copy of Environmental Clearance

STATE ENVIRONMENT IMPACT ASSESSMENT AUTHORITY HARYANA
Bay No. 55-58, Prayatan Bhawan, Sector-2, PANCHKULA.

No. SEIAA/HR/2017/634

Dated: 22-09-2017

To

✓ M/s St. Patricks Realty Pvt. Ltd,
 HL-19, Aanand Vihar, Hari Nagar,
 New Delhi-110064.

Subject: Environmental Clearance for construction of Residential Plotted Colony at Sector-29, 30, 32 & 33, Tehsil-Sohna, District-Gurgaon, Haryana.

Dear Sir,

This letter is in reference to your application no. nil dated 07.10.2015 addressed to M.S. SEIAA, Haryana received on 19.11.2015 and subsequent letters dated 24.08.2016 and 23.05.2017 seeking prior Environmental Clearance for the above project under the EIA Notification, 2006. The proposal has been appraised as per prescribed procedure in the light of provisions under the EIA Notification, 2006 on the basis of the mandatory documents enclosed with the application viz., Form-1, Form-IA, Conceptual Plan, EIA/EMP on the basis of approved TOR and the additional clarifications furnished in response to the observations of the State Expert Appraisal Committee (SEAC) constituted by MOEF & CC, GOI vide their Notification 21.08.2015, in its meeting held on 28.01.2016, 09.09.2016, 30.03.2017, 02.05.2017 and 07.06.2017 awarded "Gold" grading to the project.

[2] It is inter-alia, noted that the project involves the construction of Residential Plotted Colony at Sector-29, 30, 32 & 33, Tehsil-Sohna, District-Gurgaon, Haryana as under:

Sr. no.	Particulars	Remarks
1.	Plot area	426566.3084 sqm (105.4083)
2.	Built up area	243038 sqm
3.	License	Valid up 19.06.2019
4.	Nos. of Towers	2 basements + Stilt + 14 Floors, the project comprise of 430 no. main plots, 158 no. of EWS plots, 197 no. of NPPL plots, 3 no. Nursery School, 2 no. of Primary School, 2 no. of Nursing Home & Community Centre.
5.	Height	15 Meter
6.	Green belt	31.38%
7.	Water requirement	1159 KLD
8.	Fresh Water	664 KLD
9.	Waste Water	947 KLD
10.	STP Capacity	1700 KLD
11.	Power Requirement	6149.02 KW DHBVN
12.	Solid Waste	6536 kg/day
13.	Parking	520 ECS
14.	RWH	63 pits

[3] The State Expert Appraisal Committee, Haryana after due consideration of the relevant documents submitted by the project proponent and additional clarification furnished in response to its observations, have recommended the grant of environmental clearance for the project mentioned above, subject to compliance with the stipulated conditions. Accordingly, the State Environment Impact Assessment Authority in its meeting held on 24.07.2017 decided to agree with the recommendations of SEAC to accord necessary environmental clearance for the project under Category 8(b) of EIA Notification 2006 subject to the strict compliance with the specific and general conditions mentioned below:-

PART A-
SPECIFIC CONDITIONS:-
Construction Phase:-

- [1] "Consent for Establish" shall be obtained from Haryana State Pollution Control Board under Air and Water Act and a copy shall be submitted to the SEIAA, Haryana before the start of any construction work at site.
- [2] A first aid room as proposed in the project report shall be provided both during construction and operational phase of the project.
- [3] Adequate drinking water and sanitary facilities shall be provided for construction workers at the site. Provision should be made for mobile toilets. Open defecation by the laboures is strictly prohibited. The safe disposal of solid wastes/ waste water generated during the construction phase should be ensured. Efforts shall be made to provide mobile STP for treatment of waste water during the construction phase.
- [4] All the topsoil excavated during construction activities shall be stored for use in horticulture/landscape development within the project site.
- [5] The project proponent shall ensure that the building material required during construction phase is properly stored within the project area and disposal of construction waste should not create any adverse effect on the neighboring communities and should be disposed of after taking necessary precautions for general safety and health aspects of people, only in approved sites with the approval of competent authority.
- [6] Construction spoils, including bituminous material and other hazardous materials, must not be allowed to contaminate watercourses and the dump sites for such material must be secured so that they should not leach into the ground water and any hazardous waste generated during construction phase, should be disposed off as per applicable rules and norms with necessary approval of the Haryana State Pollution Control Board.
- [7] The diesel generator sets to be used during construction phase shall be of ultra low sulphur diesel type and should conform to Environment (Protection) Rules prescribed for air and noise emission standards.

- [8] The diesel required for operating DG sets shall be stored in underground tanks and if required, clearance from Chief Controller of Explosives shall be taken.
- [9] Ambient noise levels shall conform to the Commercial/Industrial standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during construction phase. Adequate measures should be taken to reduce ambient air pollution and noise level during construction phase, so as to conform to the stipulated Commercial/Industrial standards of CPCB/MoEF.
- [10] Fly ash shall be used as building material in the construction as per the provisions of Fly Ash Notification of September 1999 and as amended on 27th August 2003.
- [11] Storm water control and its re-use as per CGWB and BIS standards for various applications should be ensured.
- [12] Water demand during construction shall be reduced by use of pre-mixed concrete, curing agents and other best practices.
- [13] Roof must meet prescriptive requirement as per Energy Conservation Building Code by using appropriate thermal insulation material.
- [14] Opaque wall must meet prescriptive requirement as per Energy Conservation Building Code which is proposed to be mandatory for all air conditioned spaces while it is desirable for non-air-conditioned spaces by use of appropriate thermal insulation material to fulfill requirement.
- [15] The approval of the competent authority shall be obtained for structural safety of the building on account of earthquake, adequacy of fire fighting equipments, etc. as per National Building Code including protection measures from lightening etc.
- [16] The Project Proponent as stated in proposal shall construct 63 nos. rain water harvesting pits under expansion for recharging the ground water within the project premises. Rain water harvesting pits shall be designed to make provisions for silting chamber and removal of floating matter before entering harvesting pit. Maintenance budget and persons responsible for maintenance must be provided. Care shall also be taken that contaminated water do not enter any RWH pit.
- [17] The project proponent shall provide for adequate fire safety measures and equipments as required by Haryana Fire Service Act, 2009 and instructions issued by the local Authority/Directorate of fire from time to time. Further the project proponent shall take necessary permission regarding fire safety scheme/NOC from competent Authority as required.
- [18] The Project Proponent shall obtain assurance from the DHBVN for total supply of 6149.02 KW of power supply before the start of construction. In no case project will be operational solely on generators without any power supply from any external power utility.

- [19] Detail calculation of power load and ultimate power load of the project shall be submitted to DHBVN under intimation to SEIAA Haryana before the start of construction. Provisions shall be made for electrical infrastructure in the project area.
- [20] The Project Proponent shall not raise any construction in the natural land depression / Nallah/water course and shall ensure that the natural flow from the Nallah/water course is not obstructed.
- [21] The Project Proponent shall keep the plinth level of the building blocks sufficiently above the level of the approach road to the Project. Levels of the other areas in the Projects shall also be kept suitably so as to avoid flooding.
- [22] Construction shall be carried out so that density of population does not exceed norms approved by Director General Town and Country Department Haryana.
- [23] The Project Proponent shall submit an affidavit with the declaration that ground water will not be used for construction and only treated water should be used for construction.
- [24] The project proponent shall not cut any existing tree and project landscaping plan should be modified to include those trees in green area.
- [25] The project proponent shall ensure that ECBC norms for composite climate zone are met. In particular building envelope, HVAC service, water heating, pumping, lighting and electrical infrastructure must meet ECBC norms.
- [26] The Project Proponent shall provide 3 meter high barricade around the project area, dust screen for every floor above the ground, proper sprinkling and covering of stored material to restrict dust and air pollution during construction.
- [27] The project proponent shall construct a sedimentation basin in the lower level of the project site to trap pollutant and other wastes during rains.
- [28] The project proponent shall provide proper rasta of proper width and proper strength for the project before the start of construction.
- [29] The project proponent shall ensure that the U-value of the glass is less than 3.177 and maximum solar heat gain co-efficient is 0.25 for vertical fenestration.
- [30] The project proponent shall adequately control construction dusts like silica dust, non-silica dust and wood dust. Such dusts shall not spread outside project premises. Project Proponent shall provide respiratory protective equipment to all construction workers.
- [31] The project proponent shall provide fire control room and fire officer for building above 30 meter as per National Building Code.
- [32] The project proponent shall obtain permission of Mines and Geology Department for excavation of soil before the start of construction.
- [33] The project proponent shall seek specific prior approval from concerned local Authority/HUDA regarding provision of storm drainage and sewerage system

including their integration with external services of HUDA/ Local authorities beside other required services before taking up any construction activity.

- [34] The project proponent shall discharge excess of treated waste water/storm water in the public drainage system and shall seek permission of HUDA before the start of construction.
- [35] The project proponent shall ensure that structural stability to withstand earthquake of magnitude 8.5 on Richter scale.
- [36] Vertical fenestration shall not exceed 60% of total wall area.
- [37] The project proponent shall ensure that the stack height is 6 meter more than the highest tower.
- [38] The project proponent shall maintain the distance between STP and water supply line.

Operational Phase:

- [a] "Consent to Operate" shall be obtained from Haryana State Pollution Control Board under Air and Water Act and a copy shall be submitted to the SEIAA, Haryana.
- [b] The Sewage Treatment Plant (STP) shall be installed for the treatment of the sewage to the prescribed standards including odour and treated effluent will be recycled to achieve zero exit discharge. The installation of STP shall be certified by an independent expert and a report in this regard shall be submitted to the SEIAA, Haryana before the project is commissioned for operation. Tertiary treatment of waste water is mandatory. The project proponent shall remove not only Ortho-Phosphorus but total Phosphorus to the extent of less than 2mg/liter. Similarly total Nitrogen level shall be less than 2mg/liter in tertiary treated waste water. Discharge of treated sewage shall conform to the norms and standards of CPCB/ HSPCB, whichever is environmentally better. Project Proponent shall implement such STP technology which does not require filter backwash. The project proponent shall essentially provide two numbers of STPs preferably equivalent to 50% of total capacity or as per the initial occupancy as the case may be.
- [c] Separation of the grey and black water should be done by the use of dual plumbing line. Treatment of 100% grey water by decentralized treatment should be done ensuring that the re-circulated water should have BOD level less than 5 mg/litre and the recycled water will be used for flushing, gardening and DG set cooling etc.
- [d] For disinfection of the treated wastewater ultra-violet radiation or ozonization process should be used.
- [e] Diesel power generating sets proposed as source of back-up power for lifts, common area illumination and for domestic use should be of enclosed type

and conform to rules made under the Environment (Protection) Act, 1986. The location of the DG sets shall be in the basement as promised by the project proponent with appropriate stack height above the highest roof level of the project as per the CPCB norms. The diesel used for DG sets shall be ultra low sulphur diesel (35 ppm sulphur), instead of low sulphur diesel.

- [f] Ambient Noise level should be controlled to ensure that it does not exceed the prescribed standards both within and at the boundary of the Proposed Residential Plotted Colony.
- [g] The project proponent as stated in the proposal shall maintain at least 31.38% as green cover area for tree plantation especially all around the periphery of the project and on the road sides preferably with local species which can provide protection against noise and suspended particulate matter. The open spaces inside the project shall be preferably landscaped and covered with vegetation/grass, herbs & shrubs. Only locally available plant species shall be used.
- [h] The project proponent shall strive to minimize water in irrigation of landscape by minimizing grass area, using native variety, xeriscaping and mulching, utilizing efficient irrigation system, scheduling irrigation only after checking evapo-transpiration data.
- [i] Rain water harvesting for roof run-off and surface run-off, as per plan submitted should be implemented. Before recharging the surface run off, pre-treatment through sedimentation tanks must be done to remove suspended matter, oil and grease. The bore well for rainwater recharging shall be kept at least 5 mts. above the highest ground water table. Care shall be taken that contaminated water do not enter any RWH pit. The project proponent shall avoid Rain Water Harvesting of first 10 minutes of rain fall. Roof top of the building shall be without any toxic material or paint which can contaminate rain water. Wire mesh and filters should be used wherever required.
- [j] The ground water level and its quality should be monitored regularly in consultation with Central Ground Water Authority.
- [k] A report on the energy conservation measures conforming to energy conservation norms finalized by Bureau of Energy Efficiency should be prepared incorporating details about building materials & technology, R & U Factors etc and submitted to the SEIAA, Haryana in three months time.
- [l] Energy conservation measures like installation of LED only for lighting the areas outside the building and inside the building should be integral part of the project design and should be in place before project commissioning. Use of solar panels must be adapted to the maximum energy conservation.

- [m] The Project Proponent shall use zero ozone depleting potential material in insulation, refrigeration, air-conditioning and adhesive. Project Proponent shall also provide halon free fire suppression system.
- [n] The solid waste generated should be properly collected and segregated as per the requirement of the MSW Rules, 2000 and as amended from time to time. The bio-degradable waste should be treated by appropriate technology (proposed OWC) at the site ear-marked within the project area and dry/inert solid waste should be disposed off to the approved sites for land filling after recovering recyclable material.
- [o] The provision of the solar water heating system shall be as per norms specified by HAREDA and shall be made operational in each building block.
- [p] The traffic plan and the parking plan proposed by the Project Proponent should be meticulously adhered to with further scope of additional parking for future requirement. There should be no traffic congestion near the entry and exit points from the roads adjoining the proposed project site. Parking should be fully internalized and no public space should be used.
- [q] The Project shall be operationalized only when HUDA/local authority will provide domestic water supply system in the area.
- [r] Operation and maintenance of STP, solid waste management and electrical Infrastructure, pollution control measures shall be ensured even after the completion of project.
- [s] Different type of wastes should be disposed off as per provisions of municipal solid waste, biomedical waste, hazardous waste, e-waste, batteries & plastic rules made under Environment Protection Act, 1986. Particularly E-waste and Battery waste shall be disposed of as per existing E-waste Management Rules 2011 and Batteries Management Rules 2001. The project proponent shall maintain a collection center for E-waste and it shall be disposed of to only registered and authorized dismantler as per existing E-waste Management Rules 2011.
- [t] Standards for discharge of environmental pollutants as enshrined in various schedules of rule 3 of Environment Protection Rule 1986 shall be strictly complied with.
- [u] The project proponent shall make provision for guard pond and other provisions for safety against failure in the operation of wastewater treatment facilities. The project proponent shall also identify acceptable outfall for treated effluent.
- [v] The project proponent shall ensure that the stack height of DG sets is as per the CPCB guide lines and also ensure that the emission standards of noise and air are within the CPCB latest prescribed limits. Noise and Emission level of DG sets greater than 800 KVA shall be as per CPCB latest standards for high capacity DG sets.

- [w] All electric supply exceeding 100 amp, 3 phase shall maintain the power factor between 0.98 lag to 1 at the point of connection.
- [x] The project proponent shall minimize heat island effect through shading and reflective or pervious surface instead of hard surface.
- [y] The project proponent shall not use fresh water for HVAC and DG cooling. Air based HVAC system should be adopted and only treated water shall be used by project proponent for cooling, if it is at all needed. The Project Proponent shall also use evaporative cooling technology and double stage cooling system for HVAC in order to reduce water consumption. Further temperature, relative humidity during summer and winter seasons should be kept at optimal level. Variable speed drive, best Co-efficient of Performance (CoP), as well as optimal Integrated Point Load Value and minimum outside fresh air supply may be resorted for conservation of power and water. Coil type cooling DG Sets shall be used for saving cooling water consumption for water cooled DG Sets.
- [z] The project proponent shall ensure that the transformer is constructed with high quality grain oriented, low loss silicon steel and virgin electrolyte grade copper. The project proponent shall obtain manufacturer's certificate also for that.
- [aa] Water supply shall be metered among different users and different utilities.
- [ab] The project proponent shall ensure that exit velocity from the stack should be sufficiently high. Stack shall be designed in such a way that there is no stack down-wash under any meteorological conditions.
- [ac] The project proponent shall provide water sprinkling system in the project area to suppress the dust in addition to the already suggested mitigation measures in the Air Environment Chapter of EMP.
- [ad] The project proponent shall provide additional green area on terrace and roof top.
- [ae] The project proponent shall ensure proper Air Ventilation and light system in the basements area for comfortable living of human being and shall ensure that number of Air Changes per hour/(ACH) in basement never falls below 15. In case of emergency capacity for increasing ACH to the extent of 30 must be provided by the project proponent.
- [af] The project proponent shall ensure drinking/domestic water supply as per prescribed standards till treated water supply is made available by HUDA.
- [ag] The project proponent shall install solar panel for energy conservation.

PART-B. GENERAL CONDITIONS:

- [i] The Project Proponent shall ensure the commitments made in Form-1, Form-1A, EIA/EMP and other documents submitted to the SEIAA for the protection of environment and proposed environmental safeguards are complied with in letter and spirit. In case of contradiction between two or more documents on any point,

the most environmentally friendly commitment on the point shall be taken as commitment by project proponent.


- [ii] The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the northern Regional Office of MoEF, HSPCB and SEIAA Haryana.
- [iii] STP outlet after stabilization and stack emission shall be monitored monthly. Other environmental parameters and green belt shall be monitored on quarterly basis. After every 3 (three) months, the project proponent shall conduct environmental audit and shall take corrective measure, if required, without delay.
- [iv] The SEIAA, Haryana reserves the right to add additional safeguard measures subsequently, if found necessary. Environmental Clearance granted will be revoked if it is found that false information has been given for getting approval of this project. SEIAA reserves the right to revoke the clearance if conditions stipulated are not implemented to the satisfaction of SEIAA/MoEF.
- [v] The Project proponent shall not violate any judicial orders/pronouncements issued by any Court/Tribunal.
- [vi] All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Civil Aviation Department, Forest Conservation Act, 1980 and Wildlife (Protection) Act, 1972, Forest Act, 1927, PLPA 1900, etc. shall be obtained, as applicable by project proponents from the respective authorities prior to construction of the project.
- [vii] The Project proponent should inform the public that the project has been accorded Environment Clearance by the SEIAA and copies of the clearance letter are available with the Haryana State Pollution Control Board & SEIAA. This should be advertised within 7 days from the date of issue of the clearance letter at least in two local newspapers that are widely circulated in the region and the copy of the same should be forwarded to SEIAA Haryana. A copy of Environment Clearance conditions shall also be put on project proponent's web site for public awareness.
- [viii] Under the provisions of Environment (Protection) Act, 1986, legal action shall be initiated against the Project Proponent if it was found that construction of the expansion project has been started before obtaining prior Environmental Clearance.
- [ix] Any appeal against the this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.
- [x] Corporate Environment and Social Responsibility (CSER) shall be laid down by the project proponent (2% shall be earmarked) as per guidelines of MoEF, GoI Office

Memorandum No. J-11013/41/2006-IA.II(I) dated 18.05.2012 and Ministry of Corporate Affairs, GoI Notification Dated 27.02.2014. A separate audit statement shall be submitted in the compliance. Environment related work proposed to be executed under this responsibility shall be undertaken simultaneously. The project proponent shall select and prepare the list of the work for implementation of CSER of its own choice and shall submit the same before the start of construction.

- [xi] The fund ear-marked for environment protection measures should be kept in separate account and should not be diverted for other purposes and year wise expenditure shall be reported to the SEIAA/RO MoEF, GoI under rules prescribed for Environment Audit.
- [xii] The project proponent shall ensure the compliance of Forest Department, Haryana Notification no. S.O.121/PA2/1900/S.4/97 dated 28.11.1997.
- [xiii] The Project Proponent shall ensure that no vehicle during construction/operation phase enter the project premises without valid 'Pollution Under Control' certificate from competent Authority.
- [xiv] Besides the developer/applicant, the responsibility to ensure the compliance of Environmental Safeguards/ conditions imposed in the Environmental Clearance letter shall also lie on the licensee/licensees in whose name/names the license/CLU has been granted by the Town & Country Planning Department, Haryana.
- [xv] The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM_{2.5}, PM₁₀, SO_x NO_x, Ozone, Lead, CO, Benzene, Ammonia, Benzopyrine, arsenic and Nickel. (Ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- [xvi] The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the HSPCB Panchkula as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of the EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail.
- [xvii] The project proponent shall conduct environment audit at every three months interval and thereafter corrected measures shall be taken without any delay.

Details of environmental audit and corrective measures shall be submitted in the monitoring report.

- [xviii] The project proponent shall seek fresh environmental clearance in case any modification /revision is required at a later stage due to exchange of revenue rasta existing in the project area or change in any plan due to combined zoning plan.
- [xix] The validity of this environment clearance letter is valid up to 7 years from the date of issuance of EC letter. The environment clearance conditions applicable till life space project in case of Residential project will continue to apply. The resident welfare association/Housing co-operative societies shall responsible to comply conditions laid down in EC. In case of violation the action would be taken as per the laid down law of land. Compliance report should be sent to this office till life of the project.


Member Secretary
State Level Environment Impact
Assessment Authority, Haryana, Panchkula.

Endst. No. SEIAA/HR/2017/

Dated:.....

A copy of the above is forwarded to the following:

1. The Additional Director (IA Division), MoEF&CC, GoI, Indra Paryavaran Bhavan, Zor bagh Road-New Delhi.
2. The Regional office, Ministry of Environment, Forests & Climate Change, Govt. of India, Bay's no. 24-25, Sector 31-A, Dakshin Marg, Chandigarh.
3. The Chairman, Haryana State Pollution Control Board, C-11, Sector-6, Pk1.

Member Secretary
State Level Environment Impact
Assessment Authority, Haryana, Panchkula.

Annexure-II

Copy of CTE (Consent to Establish)



**HARYANA STATE POLLUTION CONTROL
BOARD**
**Gurgaon North Vikas Sada, 1st Floor, Near DC Court,
Gurgaon Ph. 0124-2332775**



Website: www.hspcb.gov.in E-Mail - hspcb.pkl@sifymail.com

Telephone No.: 0172-2577870-73

No. HSPCB/Consent/ : 329962318GUNOCTE4727624

Dated:03/01/2018

To.

M/s : St. Patricks Realty Pvt. Ltd.
“Residential Plotted Colony” at Sector-29, 30, 32 & 33, Tehsil- Sohna, District-
Gurgaon, Haryana
GURGAON
122001

Sub. : Grant of consent to Establish to M/s St. Patricks Realty Pvt. Ltd.

Please refer to your application no. 4727624 received on dated 2017-12-07 in regional office Gurgaon North.

With reference to your above application for consent to establish, M/s St. Patricks Realty Pvt. Ltd. is here by granted consent as per following specification/Terms and conditions.

Consent Under	AIR/WATER
Period of consent	03/01/2018 - 21/09/2024
Industry Type	Building and construction project more than 20,000 sq.m built up area having waste water generation more than 100 KLD
Category	RED
Investment(In Lakh)	230.0
Total Land Area (Sq. meter)	426566.3
Total Builtup Area (Sq. meter)	243038.0
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	947.0 KL/Day
Number of outlets	1.0
Mode of discharge	
1. Domestic	reuse/recycle
2. Trade	
Permissible Domestic Effluent Parameters	
1. BOD	30 mg/l
2. COD	250 mg/l
3. TSS	100 mg/l
Permissible Trade Effluent Parameters	
1. NA	0 mg/l

Number of stacks	1
Height of stack	
1. 9 Nos. Stack to DG sets	6 meter (Above roof level)
Permissible Emission parameters	
1. NA	0 mg/m ³
Capacity of boiler	
1. NA	0 Ton/hr
Type of Furnace	
1. NA	0 0
Type of Fuel	
1. Diesel	1.2 KL/day

Regional Officer, Gurgaon North
Haryana State Pollution Control Board.

Terms and conditions

1. The industry has declared that the quantity of effluent shall be 0 KL/Day i.e 0KL/Day for Trade Effluent, 0 KL/Day for Cooling, 0 KL/Day for Domestic and the same should not exceed .
2. The above 'Consent to Establish' is valid for 60 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
3. The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
4. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
5. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 as amended to-date-even before starting trial production
6. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
7. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience
8. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.
9. Unit will raise the stack height of DG Set/Boiler as per Board's norms.
10. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.

11. That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.
12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.
13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.
14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.
15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.
16. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.
17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.
18. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource.
19. That the unit will take all other clearances from concerned agencies, whenever required.
20. That the unit will not change its process without the prior permission of the Board.
21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.
23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
24. That unit will obtain EIA from MoEF, if required at any stage.
25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.
26. That unit will obtain consent to operate from the board before the start of product activity.

Specific Conditions

Other Conditions :

1. The unit will obtain consent to operate before the occupation of the project.
2. The unit will install STP along with the main project.
3. The unit will install the project only on the land for which Town and Country Planning Department has given license.
4. The NOC is valid only for such land within this project which is under ownership of project proponent and for which report regarding Aravali area has been issued by DC, Gurgaon.
5. The unit will install adequate acoustic enclosures/chambers on their DG SETS with proper stack height as per prescribed norms to meet the prescribed standards under EP Rules,
6. Unit will apply for CTO/ CTE Extension at least 90 days before expiry date of this CTE
7. Unit will not do any construction work in their project without obtaining valid renewed license from DTCP and CTE extension will become null and void if unit fails to renew DTCP license.

Regional Officer, Gurgaon North
Haryana State Pollution Control Board.



Annexure-III

Monitoring Reports



TEST REPORT Ambient Air Analysis

Issue Date : 07/12/2021

ULR No. : TC699321000004595F

Test Report No. : PRPL/AS/231121-003

Name of the Customer : St. Patricks Realty Pvt. Ltd.
Name & Address of the project : "Residential Plotted Colony" at Village- Dhunela & Berka, Sec- 29, 30, 32 & 33 Tehsil- Sohna, Gurgaon Haryana
Location of Sampling & GPS detail : Onsite (East Direction of Site)
Sampling Plan & Procedure : PRPL/WP/AS/001-012
Date of Monitoring/ Date of collection : 22/11/2021 To 23/11/2021
Date of Receipt of Sample at lab : 23/11/2021
Sample Description : Ambient Air
Sample Quantity : PM10 -48.50 m3, PM2.5-24.50 m3& Gases-250 lit
Sample Collected by : Mr. Sachin & Mr. Pradeep
Manufacture Model & Serial no. : AAS 271 mini,19-F-374, by Ecotech
Ambient Temperature : 26°C
Humidity : 38%
Wind Speed & Direction : 11.3 Km/hr, NE
Tests started on : 24/11/2021
Tests Completed on : 26/11/2021


RESULTS

S.No.	PARAMETER	Units	Test Method	Results	Standard Limit as per NAAQS
1	Particulate Matter 2.5 (PM2.5)	µg/m3	IS:5182 Part 24	189.7	60
2	Particulate Matter 10 (PM10)	µg/m3	IS:5182 Part 23 :2006	319.9	100
3	Nitrogen dioxide (NO2)	µg/m3	IS:5182 Part VI 2006	38.4	80
4	Sulphur dioxide (SO2)	µg/m3	IS:5182 Part II (1999-2001)Reaffirmed 2006	10.6	80

Remarks:

1. The results mentioned above relate only to the Sample received and Tested by us.
2. The test report shall not be reproduced either in full or part without the written approval of the Laboratory.
3. Samples received shall be disposed off after one month from the date of issue of Test Report unless specified otherwise.

End of Report


Analyst


Authorized Signatory

Chandra Shekhar Jha



TEST REPORT Ambient Air Analysis

Issue Date : 10/12/2021

ULR No. : TC699321000004646F

Test Report No. : PRPL/AS/231121-004

Name of the Customer : St. Patricks Realty Pvt. Ltd.
Name & Address of the project : "Residential Plotted Colony" at Village- Dhunela & Berka, Sec- 29, 30, 32 & 33 Tehsil- Sohna, Gurgaon Haryana
Location of Sampling & GPS detail : Onsite (West Direction of Site)
Sampling Plan & Procedure : PRPL/WP/AS/001-012
Date of Monitoring/ Date of collection : 22/11/2021 To 23/11/2021
Date of Receipt of Sample at lab : 23/11/2021
Sample Description : Ambient Air
Sample Quantity : PM10 -48.50 m3, PM2.5-24.50 m3& Gases-250 lit
Sample Collected by : Mr. Sachin & Mr. Pradeep
Manufacture Model & Serial no. : Model AAS 271 ,12-B-105,by Ecotech
Ambient Temperature : 26°C
Humidity : 38%
Wind Speed & Direction : 11.3 Km/hr, NE
Tests started on : 24/11/2021
Tests Completed on : 26/11/2021

RESULTS

S.No.	PARAMETER	Units	Test Method	Results	Standard Limit as per NAAQS
1	Particulate Matter 2.5 (PM2.5)	µg/m3	IS:5182 Part 24	197.5	60
2	Particulate Matter 10 (PM10)	µg/m3	IS:5182 Part 23 :2006	301.8	100
3	Nitrogen dioxide (NO2)	µg/m3	IS:5182 Part VI 2006	38.7	80
4	Sulphur dioxide (SO2)	µg/m3	IS:5182 Part II (1999-2001)Reaffirmed 2006	11.3	80

Remarks:

1. The results mentioned above relate only to the Sample received and Tested by us.
2. The test report shall not be reproduced either in full or part without the written approval of the Laboratory.
3. Samples received shall be disposed off after one month from the date of issue of Test Report unless specified otherwise.

End of Report


Analyst


Authorized Signatory
Chandra Shekhar



Issue Date : 07/12/2021

TEST REPORT Soil/Sediments Analysis

ULR No. : TC699321000004580F

Test Report No. : PRPL/SS/231121-003

Name of the Customer : St. Patricks Realty Pvt. Ltd.
Name & Address of the project : "Residential Plotted Colony" at Village- Dhunela & Berka, Sec- 29, 30, 32 & 33 Tehsil- Sohna, Gurgaon Haryana
Location of Sampling & GPS detail : Onsite
Sampling Plan & Procedure : PRPL/WP/SS/030
Date of Monitoring/ Date of collection : 23/11/2021
Date of Receipt of Sample at lab : 23/11/2021
Sample Description : Composite Sample
Sample Quantity : 1 Kg
Sample Collected by : Mr. Pradeep Pandey
Tests started on : 24/11/2021
Tests Completed on : 29/11/2021

RESULTS

S.No.	PARAMETER	Unit	Test Method	Results	Range Of Detection
1	pH	--	ISO-10390: 2005	7.5	1 - 12
2	Colour	--	Munsell Chart	3/4 (Brown)	--
3	Moisture Content	%	IS: 2720 PART -2	1.9	0.1-40
4	Organic Matter	%	IS: 2720 (Part xxii)-1972, Reaffirmed 2010	0.51	0.01-10
5	Electrical Conductivity (EC)	µS/cm	IS :4767: 2000	146.7	1-1000
6	Available Nitrogen	mg/kg	ISO: 14256	64.4	5-500
7	Calcium as (Ca)	mg/kg	ISO : 11260	67.8	5-3000
8	Magnesium as (Mg)	mg/kg	ISO : 11260	17.6	10-2500
9	Potassium (as K)	mg/kg	ISO : 11260	11.8	1- 1000
10	Nitrate (as NO3)	mg/kg	ISO : 4256:2003	29.7	5-500
11	Phosphorus Available (as P)	mg/kg	Lab SOP No. 002 Dated 30.06.2015 based on USDA M 61, 1954. edition by LA Richards	14.4	5 - 500
12	Available Chloride (as Cl)	mg/kg	Lab SOP No. 010, dated 30.06.2015 based on (USDA M 13) by 1954, edition by LA Richards	53.1	5 - 1000
13	Cation Exchange Capacity (CEC)	meq/100 mg	ISO : 11260: 1994 (E) (Reissued in 1996)	17.5	5-300
14	Sulphur (as S)	mg/kg	Lab SOP No. 012, dated: 30.06.2015 based on Soil Testing in India by Ministry of Agriculture, GOI	<1	1- 200
15	Sodium as (Na)	mg/kg	ISO : 11260	78.8	1-1000



Issue Date : 07/12/2021

ULR No. : TC699321000004580F


Test Report No. : PRPL/SS/231121-003

S.No.	PARAMETER	Unit	Test Method	Results	Range Of Detection
16	Bicarbonate Alkalinity as (CaCO ₃)	mg/kg	Lab SOP no. 008 dated 30.06.2015 (USDA M-12, 1954 Edition by LA Richards) Reissued in 1969	73.2	2 - 1000
17	Texture	--	IS 2720 PART- 4	Silt Loam	---
	a. Sand	%	IS 2720 PART- 4	3.8	0-100
	b. Silt	%	IS 2720 PART- 4	74.1	0-100
	c. Clay	%	IS 2720 PART- 4	22.0	0-100
18	Bulk Density	gm/cc	ISO : 11272	1.29	0.1-8
19	Porosity	%	Lab SOP No. 016, dated 30.06.2015 based on (USDA M 40) by 1954, edition by LA Richards	27.9	5-40


Remarks:

1. The results mentioned above relate only to the Sample received and Tested by us.
2. The test report shall not be reproduced either in full or part without the written approval of the Laboratory.
3. Samples received shall be disposed off after one month from the date of issue of Test Report unless specified otherwise.

End of Report



Analyst

Authorized Signatory

 Authorized Signatory
 Chandra Shekhar Jha



TEST REPORT Ambient Noise Analysis

Issue Date : 07/12/2021

ULR No. : TC699321000004591F

Test Report No. : PRPL/NS/231121-003

Name of the Customer : St. Patricks Realty Pvt. Ltd.
Name & Address of the project : "Residential Plotted Colony" at Village- Dhunela & Berka, Sec- 29, 30, 32 & 33 Tehsil- Sohna, Gurgaon Haryana

Location of Sampling & GPS detail : Onsite (East Direction of Site)
Sampling Plan & Procedure : PRPL/WP/NS/001-002
Date of Monitoring/ Date of collection : 22/11/2021 To 23/11/2021
Date of Receipt of Sample at lab : 23/11/2021
Sample Description : Ambient Noise
Sample Collected by : Mr. Sachin & Mr. Pradeep
Sampling Period : 24 Hr
Tests started on : 24/11/2021
Tests Completed on : 24/11/2021


RESULTS

S.No.	Time	Unit	Test Method	Leq Values	Standard Limit
1	Sound Pressure Level Day Time (06:00 - 22:00)	Leq dB(A)	IS: 9989-1981 Reaffirmed 2014	56.5	55.0
2	Sound Pressure Level Night Time (22:00 - 06:00)	Leq dB(A)	IS: 9989-1981 Reaffirmed 2014	50.4	45.0

Remarks:

1. The results mentioned above relate only to the Sample received and Tested by us.
2. The test report shall not be reproduced either in full or part without the written approval of the Laboratory.
3. Samples received shall be disposed off after one month from the date of issue of Test Report unless specified otherwise.

End of Report


Analyst


Authorized Signatory
Chandra Shekhar



TEST REPORT Ambient Noise Analysis

Issue Date : 10/12/2021

ULR No. : TC699321000004647F

Test Report No. : PRPL/NS/231121-004

Name of the Customer : St. Patricks Realty Pvt. Ltd.
Name & Address of the project : "Residential Plotted Colony" at Village- Dhunela & Berka, Sec- 29, 30, 32 & 33 Tehsil- Sohna, Gurgaon Haryana

Location of Sampling & GPS detail : Onsite (West Direction of Site)
Sampling Plan & Procedure : PRPL/WP/NS/001-002
Date of Monitoring/ Date of collection : 22/11/2021 To 23/11/2021
Date of Receipt of Sample at lab : 23/11/2021
Sample Description : Ambient Noise
Sample Collected by : Mr. Sachin & Mr. Pradeep
Sampling Period : 24 Hr
Tests started on : 24/11/2021
Tests Completed on : 24/11/2021

RESULTS

S.No.	Time	Unit	Test Method	Leq Values	Standard Limit
1	Sound Pressure Level Day Time (06:00 - 22:00)	Leq dB(A)	IS: 9989-1981 Reaffirmed 2014	56.8	55.0
2	Sound Pressure Level Night Time (22:00 - 06:00)	Leq dB(A)	IS: 9989-1981 Reaffirmed 2014	50.6	45.0

Remarks:

1. The results mentioned above relate only to the Sample received and Tested by us.
2. The test report shall not be reproduced either in full or part without the written approval of the Laboratory.
3. Samples received shall be disposed off after one month from the date of issue of Test Report unless specified otherwise.

End of Report


Analyst


Authorized Signatory
Authorized Signatory
Chandra Shekhar Jha

Annexure-IV

Copy of Electricity Bill



Electricity Bill

Duplicate Bill



9 1 9 0 5 2 2 0 0 0 1 4 2 0 7 4 4 1 3 1 2 2 0 2 1 1 4 4 1 9 2 5

Report Generation Date:-09-12-2021 09:49:03

Generated By:- reportus

Name: M/S ST PATRICKS REALTY		Account No: 9190522000	Net Payable Amount on or before Due Date (₹): 1420744.00
Address: (P)LTD SECTOR-32/33, Sohna, HR, IND		Old Acct No: 1265206URSHT0057	Due Date: 13/12/2021
		K No: G41RSHT0057	Surcharge(₹): 21181.00
Circle : GURUGRAM CIRCLE-2	Cycle/Group: GJSO/06U	Issue Date: 06/12/2021	Gross Amount Payable After Due Date(₹): 1441925.00
Division: Sohna	Bill Month: DEC/2021	Bill No: 919054090553	
Sub Division: G41-Sohna		Net Payable Amount in words: Fourteen Lakh Twenty Thousand Seven Hundred Forty Four Rupees Only	

User Id:- reportus Generation Date:- 09-12-2021 09:49:03

Meter and Read Details (* Latest MCO is shown in case of multiple MCO in one billing cycle)													
Meter No.	Meter Reading Date		Period Days	MDI	Unit	Meter Reading		M.F.	Consumed Units	Billed Units	Bill Basis	Read Rmrk	Mtr Sts
	Old	New				Old	New						
X1109893	01/11/2021	01/12/2021	30	142.76	KVAH	233332.98	240675.5	2	14685.04	14685.04	OK	OK	A
X1109893	01/11/2021	01/12/2021	30	0.00	KWH	225560.98	232873.5	2	14625.04	14625.04	OK	OK	A

Time of Day (TOD) Consumption (* only kVAh TODs are displayed)								
TOD	22:00-05:30	05:30-08:00	08:00-17:30	17:30-18:00	18:00-18:30	18:30-19:00	19:00-21:00	21:00-22:00
Previous	95143.51	17998.5	75013.51	3454.5	4111.5	4953.5	22308	10350
Current	100544	19365.5	75558	3456	4115.5	4956	22323.5	10357
Unit	10800.98	2734	1088.98	3	8	5	31	14

Details of Meter Existing on Date of Reading						
Meter No	Meter Make		MCO	Meter No	Meter Make	
				X1109893	Secure Meter Ltd.	
Meter CT Ratio	Meter PT Ratio	Meter MF	Date	Meter CT Ratio	Meter PT Ratio	Meter MF
				5/5	11000/110	1
Line CT Ratio	Line PT Ratio	Over All MF	Effect On	Line CT Ratio	Line PT Ratio	Over All MF
				10/5	11000/110	2

Arrears outstanding for the Financial year (₹)				Connection Details		
Description	Previous	Current	Total (₹)	Latest Applicable Tariff	Tariff Category	HTS-Industrial
SOP Charges	0.00	757229.98	757229.98	6.65	Supply Voltage(kV)	11.00KV
F.S.A.	0.00	-2656.97	-2656.97		Metering Voltage(kV)	11.00KV
Surcharge	0.00	16045.00	16045.00		Sanctioned Load (kW)	200.00
E. Duty	0.00	1684.18	1684.18		Contract Demand(kVA)	200
M. Tax	0.00	2923.68	2923.68		Peak load exemption%	100
Fixed Charges	0.00	33632.86	33632.86		Cons. Security (₹)	200000.00
Excess Credit	0.00	0.00	0.00		Meter Security (₹)	0.00
Total Arrear	0.00	808858.73	808858.73		Meter Ownership/Read Source	Consumer Meter/

Details of charges for current cycle		Details of Amount Payable		Last Payment Details	
Description	Amount (₹)	Description	Amount (₹)	Amount(₹)	280640.00
Fixed Charges/ReConn FC	32547.93/0.00	Current Cycle Charges	134320.02	Receipt No	919052264419
Energy Charges	97655.52	Arrears/Outstanding Dues	808858.73	Receipt Date	16/10/2021
Low Voltage Surcharge	0.00	Sundry Charges/Allowances	477565.00/0.00	Mode of Payment	
Steel Furnace Surcharge	0.00	Provisional /BR Adjustment	0.00	Previous Consumption Pattern	
Fuel Surcharge Adjustment	0.00	LPS Adjustment	0.00		
Reliability Charges	0.00	Other Non-Energy Charges	0.00	Bill month	Units (KWH)
PLE Charges	50.00	Net Payable Amount On Or Before Due Date(₹)	1420744.00	Jun-2021	33884
PLV Charges	0.00	Surcharge(₹)	21181.00	Jul-2021	33846.04
Penalty for exceeding the CD	0.00	Gross Amount Payable After Due Date(₹)	1441925.00	Aug-2021	23776.96
Meter Service Charges	0.00	Brief details of Sundry charges /allowances		Sep-2021	18910
Service line Charges	0.00			Oct-2021	13872
Electricity Duty	1462.50	SOP		Nov-2021	16836.96
Municipal Tax	2604.07			In case bill is not paid within 7 days of due date the supply shall be liable to be disconnected without any further notice.	
Total Current Cycle Charges(₹)	134320.02			Date from which bill other than "OK" is being issued:	
				Reason:	

DD to be drawn in favour of SDO G41-Sohna , DHBVN , SOHNA

Important Information for consumers:	
Payment of this bill can be made online by logging on the Website:www.dhbvn.org.in at any time and at office counter on all working days during working hours i.e. 09:00AM to 05:00PM.	This Bill be considered as a notice under section 56 of The Electricity Act 2003. Kindly pay the bill by due date. In case of default the connection is liable to be disconnected after 15 days of due date

Address and Telephone Number(s) of the authorities relating to consumers grievances			
Grievance pertaining to this bill can be lodged with	Address & Telephone number(s) of the		For all type of complaints call at:
Assistant General Manager Operation - G41-Sohna	Consumer Grievance Redressal Forum	Ombudsman	18001804334 (Toll Free)
	HETRI HOUSE,GURUGRAM	HERC, Sec-4, Bays No. 33-36, Panchkula, Haryana Email ID : eo@nic.in Contact No. - +91(172)2572299 WhatsApp No:-	1800 180 2124 (Vigilance Toll Free)



Electricity Bill

Duplicate Bill



1 9 1 3 6 2 2 0 0 0 6 7 5 4 3 7 1 3 1 2 2 0 2 1 6 8 5 1 9 0

Report Generation Date:-09-12-2021 09:55:11
Generated By:- reportus

Name: M/S ST PARTICKS		Account No: 1913622000	Net Payable Amount on or before Due Date (₹): 675437.00
Address: REALTY(P)LTD CENTRAL PARK SOHNA, Sohna, HR, IND		Old Acct No: 1265206URSHT0056	Due Date: 13/12/2021
		K No: G41RSHT0056	Surcharge(₹): 9753.00
Circle : GURUGRAM CIRCLE-2	Cycle/Group: GJSO/06U	Issue Date: 06/12/2021	Gross Amount Payable After Due Date(₹): 685190.00
Division: Sohna	Bill Month: DEC/2021	Bill No: 191364233251	
Sub Division: G41-Sohna		Net Payable Amount in words: Six Lakh Seventy Five Thousand Four Hundred Thirty Seven Rupees Only	

User Id:- reportus Generation Date:- 09-12-2021 09:55:11

Meter and Read Details (* Latest MCO is shown in case of multiple MCO in one billing cycle)													
Meter No.	Meter Reading Date		Period Days	MDI	Unit	Meter Reading		M.F.	Consumed Units	Billed Units	Bill Basis	Read Rmrk	Mtr Sts
	Old	New				Old	New						
X0979607	01/11/2021	01/12/2021	30	262.24	KVAH	801713.5	838205.5	2	72984	72984	OK	OK	A
X0979607	01/11/2021	01/12/2021	30	0.00	KWH	772899	807989	2	70180	70180	OK	OK	A

Time of Day (TOD) Consumption (* only kVAh TODs are displayed)									
TOD	22:00-05:30	05:30-08:00	08:00-17:30	17:30-18:00	18:00-18:30	18:30-19:00	19:00-21:00	21:00-22:00	
Previous	290788	81669.51	281416.5	13528	14611.5	15578	69515	34607	
Current	306950.03	87234	290848.5	14027.5	15166.5	16128	71989	35862	
Unit	32324.06	11128.98	18864	999	1110	1100	4948	2510	

Details of Meter Existing on Date of Reading						
Meter No	Meter Make		MCO	Meter No	Meter Make	
				X0979607	Secure Meter Ltd.	
Meter CT Ratio	Meter PT Ratio	Meter MF	Date	Meter CT Ratio	Meter PT Ratio	Meter MF
				5/5	11000/110	1
Line CT Ratio	Line PT Ratio	Over All MF	Effect On	Line CT Ratio	Line PT Ratio	Over All MF
				10/5	11000/110	2

Arrears outstanding for the Financial year (₹₹)				Connection Details		
Description	Previous	Current	Total (₹)	Latest Applicable Tariff	Tariff Category	HTS-Industrial
SOP Charges	0.00	0.00	0.00	6.65	Supply Voltage(kV)	11.00KV
F.S.A.	0.00	-7829.61	-7829.61		Metering Voltage(kV)	11.00KV
Surcharge	0.00	0.00	0.00		Sanctioned Load (kW)	200.00
E. Duty	0.00	0.00	0.00		Contract Demand(kVA)	200
M. Tax	0.00	7829.24	7829.24		Peak load exemption%	100
Fixed Charges	0.00	0.00	0.00		Cons. Security (₹)	800000.00
Excess Credit	0.00	0.00	0.00		Meter Security (₹)	0.00
Total Arrear	0.00	-0.37	-0.37		Meter Ownership/Read Source	Consumer Meter/

Details of charges for current cycle		Details of Amount Payable		Last Payment Details				
Description	Amount (₹)	Description	Amount (₹)	Amount(₹)		646591.00		
Fixed Charges/ReConn FC	32547.93/0.00	Current Cycle Charges	675437.74	Receipt No		191362248630		
Energy Charges	485343.60	Arrears/Outstanding Dues	-0.37	Receipt Date		15/11/2021		
Low Voltage Surcharge	0.00	Sundry Charges/Allowances	0.00/0.00	Mode of Payment				
Steel Furnace Surcharge	0.00	Provisional /BR Adjustment	0.00	Previous Consumption Pattern				
Fuel Surcharge Adjustment	0.00	LPS Adjustment	0.00					
Reliability Charges	0.00	Other Non-Energy Charges	0.00	Bill month	Units (KWH)	Units (KVAH)	MDI	Status
PLE Charges	8558.00	Net Payable Amount On Or Before Due Date(₹)	675437.00	Jun-2021	71819	74068.88	266.8	OK
PLV Charges	0.00	Surcharge(₹)	9753.00	Jul-2021	61993	63857.12	274.96	OK
Penalty for exceeding the CD	131612.38	Gross Amount Payable	685190.00	Aug-2021	52489	54904	275.64	OK
Meter Service Charges	0.00	After Due Date(₹)		Sep-2021	62316	64438	260.92	OK
Service line Charges	0.00	Brief details of Sundry charges /allowances		Oct-2021	53407	55504	294.2	OK
Electricity Duty	7018.00			Nov-2021	66192	68716	255.28	OK
Municipal Tax	10357.83			In case bill is not paid within 7 days of due date the supply shall be liable to be disconnected without any further notice.				
Total Current Cycle Charges(₹)	675437.74							
		Date from which bill other than "OK" is being issued:		Reason:				

DD to be drawn in favour of	SDO G41-Sohna , DHBVN , SOHNA
------------------------------------	-------------------------------

Important Information for consumers:	
Payment of this bill can be made online by logging on the Website:www.dhbvn.org.in at any time and at office counter on all working days during working hours i.e. 09:00AM to 05:00PM.	This Bill be considered as a notice under section 56 of The Electricity Act 2003. Kindly pay the bill by due date. In case of default the connection is liable to be disconnected after 15 days of due date

Address and Telephone Number(s) of the authorities relating to consumers grievances			
Grievance pertaining to this bill can be lodged with	Address & Telephone number(s) of the		For all type of complaints call at:
Assistant General Manager Operation - G41-Sohna	Consumer Grievance Redressal Forum	Ombudsman	18001804334 (Toll Free)
	HETRI HOUSE,GURUGRAM	HERC, Sec-4, Bays No. 33-36, Panchkula, Haryana Email ID : eo@nic.in Contact No. - +91(172)2572299 WhatsApp No:-	1800 180 2124 (Vigilance Toll Free)

Annexure-V

Copy of PUC certificate

Form 59

[See rules 115 (2)]

Pollution Under Control Certificate

Authorised By :
Government of Haryana

Date : 14/08/2021
Time : 10:00:38 AM
Validity upto : 13/02/2022



Certificate SL. No. : HR05502200000462
Registration No. : HR72E9291
Date of Registration : 07/Jan/2020
Month & Year of Manufacturing : July-2019
Valid Mobile Number : *****2157
Emission Norms : Bharat Stage III (CEV)
Fuel : DIESEL
PUC Code : HR0550220
GSTIN :
Fees : Rs.100.0(GST as applicable)
MIL observation : No



Vehicle Photo with Registration plate
60 mm x 30 mm

Rainath Pollution Testing Center
Raghunandan Service Station, Sohna



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	1.36

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://vahan.parivahan.gov.in>

Authorised Signature with stamp of PUC operator
(Optional for State)
60mm x 20 mm

Form 59

[See rules 115 (2)]

Pollution Under Control Certificate

Authorised By :
Government of Haryana

Date : 13/08/2021
Time : 21:30:15 PM
Validity upto : 12/02/2022



Certificate SL. No. : HR05502200000459
Registration No. : HR55AC5174
Date of Registration : 17/Jan/2018
Month & Year of Manufacturing : April-2017
Valid Mobile Number : *****0145
Emission Norms : Bharat (Trem) Stage III A
Fuel : DIESEL
PUC Code : HR0550220
GSTIN :
Fees : Rs.100.0(GST as applicable)
MIL observation : No

Vehicle Photo with Registration plate
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	1.16

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://vahan.parivahan.gov.in>

Authorised Signature with stamp of PUC operator
(Optional for State)
60mm x 20 mm

Form 59

[See rules 115 (2)]

Pollution Under Control Certificate


Authorised By :
Government of Haryana

Date : 13/08/2021
Time : 21:25:22 PM
Validity upto : 12/02/2022



Certificate SL. No. : HR05502200000458
Registration No. : HR55AC6767
Date of Registration : 28/Mar/2018
Month & Year of Manufacturing : December-2017
Valid Mobile Number : *****0145
Emission Norms : Bharat (Trem) Stage III A
Fuel : DIESEL
PUC Code : HR0550220
GSTIN :
Fees : Rs.100.0(GST as applicable)
MIL observation : No

Vehicle Photo with Registration plate
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	1.0

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://vahan.parivahan.gov.in>

Authorised Signature with stamp of PUC operator
(Optional for State)
60mm x 20 mm

Form 59

[See rules 115 (2)]

Pollution Under Control Certificate

Authorised By :
Government of Haryana

Date : 13/08/2021
Time : 22:37:38 PM
Validity upto : 12/02/2022



Certificate SL. No. : HR05502200000461
Registration No. : HR55U5525
Date of Registration : 22/Oct/2014
Month & Year of Manufacturing : September-2014
Valid Mobile Number : *****0145
Emission Norms : BHARAT STAGE III
Fuel : DIESEL
PUC Code : HR0550220
GSTIN :
Fees : Rs.100.0(GST as applicable)
MIL observation : No

Vehicle Photo with Registration plate
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	0.67

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://vahan.parivahan.gov.in>

Authorised Signature with stamp of PUC operator
(Optional for State)
60mm x 20 mm

Form 59

[See rules 115 (2)]

Pollution Under Control Certificate


Authorised By :
Government of Haryana

Date : 13/08/2021
Time : 21:35:05 PM
Validity upto : 12/02/2022



Certificate SL. No. : HR05502200000460
Registration No. : HR55AC4092
Date of Registration : 17/Jan/2018
Month & Year of Manufacturing : March-2017
Valid Mobile Number : *****0145
Emission Norms : Bharat (Trem) Stage III A
Fuel : DIESEL
PUC Code : HR0550220
GSTIN :
Fees : Rs.100.0(GST as applicable)
MIL observation : No

Vehicle Photo with Registration plate
60 mm x 30 mm



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	0.85
This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.				

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://vahan.parivahan.gov.in>

Authorised Signature with stamp of PUC operator
(Optional for State)
60mm x 20 mm

Form 59

[See rules 115 (2)]

Pollution Under Control Certificate

Authorised By :
Government of Haryana

Date : 14/08/2021
Time : 12:14:16 PM
Validity upto : 13/02/2022



Certificate SL. No. : HR05502200000465
Registration No. : HR72C2925
Date of Registration : 06/Sep/2017
Month & Year of Manufacturing : July-2017
Valid Mobile Number : *****2380
Emission Norms : BHARAT STAGE III
Fuel : DIESEL
PUC Code : HR0550220
GSTIN :
Fees : Rs.100.0(GST as applicable)
MIL observation : No



Vehicle Photo with Registration plate
60 mm x 30 mm

Rajnath Pollution Checking Center
Raghunandan Service Station, Gurgaon



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	0.7

This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://vahan.parivahan.gov.in>

Authorised Signature with stamp of PUC operator
(Optional for State)
60mm x 20 mm


Form 59

[See rules 115 (2)]

Pollution Under Control Certificate

Authorised By :
Government of Haryana

Date : 14/08/2021
Time : 12:10:18 PM
Validity upto : 13/02/2022



Certificate SL. No. : HR05502200000464
Registration No. : HR72E1244
Date of Registration : 07/Jan/2020
Month & Year of Manufacturing : November-2019
Valid Mobile Number : *****2139
Emission Norms : Bharat Stage III (CEV)
Fuel : DIESEL
PUC Code : HR0550220
GSTIN :
Fees : Rs.100.0(GST as applicable)
MIL observation : No



Vehicle Photo with Registration plate
60 mm x 30 mm

Rajnath Pollution Checking Center
Raghunandan Service Station, Sohna



Sr. No.	Pollutant (as applicable)	Units (as applicable)	Emission limits	Measured Value (upto 2 decimal places)
1	2	3	4	5
Idling Emissions	Carbon Monoxide (CO)	percentage (%)		
	Hydrocarbon, (THC/HC)	ppm		
High idling emissions	CO	percentage (%)		
	RPM	RPM	2500 ± 200	
	Lambda	-	1 ± 0.03	
Smoke Density	Light absorption coefficient	1/metre	2.45	0.64
This PUC certificate is system generated through the national register of motor vehicles and does not require any signature.				

Note : 1. Vehicle owners to link their mobile numbers to registered vehicle by logging to <https://vahan.parivahan.gov.in>

Authorised Signature with stamp of PUC operator
(Optional for State)
60mm x 20 mm

Annexure-VI

Copy of Medical certificate

VARDAAN HOSPITAL & TRAUMA CENTRE

DATE: 2/11/21

1. certify that I have carefully examined Sh./Km. Brishb son/daughter of
Shri Hardev his/her age is
About 19y 11m

BP 130/80 mmHg

GIT NAD

CVS S.S. 1

PR 86/min

GUT NAD

RESP R/L HE Equal

TEMP 98.6 °F

COUGH NO

SORE THROAT NO

COLD NO

DR. PARVEEN KUMAR
MBBS, MD
(Signature of Gazettes Medical Officer)
MCI Regd. No-24261



DR. PARVEEN KUMAR
MBBS, MD
MCI Regd. No-24261

QJ81

Signature of Candidate

Official Seal

This is a routine medical fitness certificate based on general physical examination. This certificate does not rule out the possibility of covid 19 infection.

VARDAAN HOSPITAL & TRAUMA CENTRE

DATE...12/11/21

1. certify that I have carefully examined Sh./Km.....Jitender.....son/daughter of
Shri Guthla.....his/her age is
About 28y / M.....

BP...136/80 mm

GIT...NAD

CVS...S2 @

PR...80/min

GUT...NAD

RESP...Rt. Lt. Equal

TEMP...98.6 F

COUGH...NO

SORE THROAT...NO

COLD...NO

Dr. Parveen KUMAR
(Signature of Gazettes Medical Officer)
MCI Regd. No-24261

Official Seal



MCI Regd. No-24261

Jitender
Signature of Candidate

This is a routine medical fitness certificate based on general physical examination. This certificate does not rule out the possibility of covid 19 infection.

19/2/21

VARDAAN HOSPITAL & TRAUMA CENTRE

DATE 17/11/21

1. certify that I have carefully examined Sh./Km. Mohd. Aarif son/daughter of
Shri Subrati his/her age is
About 22y/m

BP 110/80

GIT NAD

CVS S.S.P.

PR 98/nt

GUT NAD

RESP adequate

TEMP 98.4°F


COUGH no

SORE THROAT no

COLD no

Parveen
(Signature of Gazettes Medical Officer)

Dr. PARVEEN KUMAR
MBBS. MD
MCI Regd. No-24 Official Seal



Signature of Candidate

This is a routine medical fitness certificate based on general physical examination. This certificate does not rule out the possibility of covid 19 infection.

19/5/21

VARDAAN HOSPITAL & TRAUMA CENTRE

DATE 17/4/21

1. certify that I have carefully examined Sh./Km. Vipin Kumar son/daughter of
Shri Mindalal his/her age is
About 28yrs

BP 120/80

GIT NAD

CVS SIS (P)

PR 88/mf

GUT NAD

RESP Adequate

TEMP 98.4°F

COUGH No

SORE THROAT No

COLD No

Parveen
(Signature of Gazettes Medical Officer)



Dr. PARVEEN KUMAR
MBBS. MD
MCI Regd. No-24261

Official Seal

Signature of Candidate

This is a routine medical fitness certificate based on general physical examination. This certificate does not rule out the possibility of covid 19 infection.

199/21

VARDAAN HOSPITAL & TRAUMA CENTRE

DATE...12/11/21

1. certify that I have carefully examined Sh./Km...Sardendra Kumar son/daughter of
Shri ...Charinath...his/her age is
About ...26y/m...

BP...120/80...

GIT...NAD...

CVS...S.S.20...

PR...88/m...

GUT...NAD...

RESP...Adequate


TEMP...98°F...

COUGH...No...

SORE THROAT...No...

COLD...No...

Parveen
(Signature of Gazettes Medical Officer)



Dr. PARVEEN KUMAR
MBBS. MD. Official Seal
MCI Regd. No-24261

Signature of Candidate

This is a routine medical fitness certificate based on general physical examination. This certificate does not rule out the possibility of covid 19 infection.

207/21

VARDAAN HOSPITAL & TRAUMA CENTRE

DATE 17/11/21

1. certify that I have carefully examined Sh./Km. Harish chand ✓ son/daughter of
Shri Sudama Sanyal his/her age is
About 23y/m

BP 110/80

GIT NAD

CVS S.S. (P)

PR 88/nt

GUT NAD

RESP Adequate

TEMP 98°F

COUGH No

SORE THROAT No

COLD No

(Signature of Gazettes Medical Officer)

Parveen
Dr. PARVEEN KUMAR
MBBS. MD.

MCI Regd. No. 271851
Official Seal



Signature of Candidate

This is a routine medical fitness certificate based on general physical examination. This certificate does not rule out the possibility of covid 19 infection.

209/21

VARDAAN HOSPITAL & TRAUMA CENTRE

DATE 17.4.21

1. certify that I have carefully examined Sh./Km. Bablu son/daughter of
Shri Chhabalal his/her age is
About 41 y/m

BP 130/80

GIT NAD

CVS S₁S₂ ⊕

PR 88/mt

GUT NAD

RESP Adequate

TEMP 98.6

COUGH NO

SORE THROAT NO

COLD NO

Parveen

(Signature of Gazettes Medical Officer)

Dr. PARVEEN KUMAR

MBBS. MD

MCI Regd. No-242 Official Seal



Signature of Candidate

This is a routine medical fitness certificate based on general physical examination. This certificate does not rule out the possibility of covid 19 infection.

201/21

VARDAAN HOSPITAL & TRAUMA CENTRE

DATE 17/4/21

1. certify that I have carefully examined Sh./Km. Kirshanlal son/daughter of
Shri Ramesh his/her age is
About 19 y/m

BP 110/80

GIT NAD

CVS S.S.20

PR 88/m

GUT NAD

RESP adequate

TEMP 98.4 F

COUGH No


SORE THROAT No

COLD No

(Signature of Gazettes Medical Officer)

Parveen
DR. PARVEEN KUMAR
MBBS. MD

MCI Regd. No. 24261
Official Seal



Signature of Candidate

This is a routine medical fitness certificate based on general physical examination. This certificate does not rule out the possibility of covid 19 infection.

202/21

VARDAAN HOSPITAL & TRAUMA CENTRE

DATE 17/11/21

1. certify that I have carefully examined Sh./Km. Vijay Yadav son/daughter of
Shri Matichand Yadav his/her age is
About 32 y/m

BP 130/80

GIT NAD

CVS S1, S2 (A)

PR 88/min

GUT NAD

RESP Adequate

TEMP 98.4 F

COUGH No

SORE THROAT No

COLD No

Parveen
(Signature of Gazettes Medical Officer)

DR. PARVEEN KUMAR
MBBS. MD.
MCI Regd. No-24961

Official Seal



Signature of Candidate

This is a routine medical fitness certificate based on general physical examination. This certificate does not rule out the possibility of covid 19 infection.

20/5/21

VARDAAN HOSPITAL & TRAUMA CENTRE

DATE... 12/11/21

1. certify that I have carefully examined Sh./Km. Ranjit Kumar ✓ son/daughter of
Shri Rabinanayan Sahoo ✓ his/her age is
About 33y/m

BP... 130/80

GIT... NAD

CVS... S.S2A

PR... 88/m

GUT... NAD

RESP... Adequate

TEMP... 98.6

COUGH... NO

SORE THROAT... NO

COLD... NO

Parveen

(Signature of Gazettes Medical Officer)

Dr. PARVEEN KUMAR
MBBS. MD

MCI Regd. No- Official Seal



Signature of Candidate

This is a routine medical fitness certificate based on general physical examination. This certificate does not rule out the possibility of covid 19 infection.

210/21

VARDAAN HOSPITAL & TRAUMA CENTRE

DATE 17/11/21

1. certify that I have carefully examined Sh./Km. Rajpal Yadav ✓ son/daughter of
Shri Ghanashyam Yadav his/her age is
About 25y/m

BP 110/70

GIT NAD

CVS S.S.2+

PR 88/bt

GUT NAD

RESP Adequate

TEMP 98°F

COUGH No

SORE THROAT No

COLD No

Parveen
(Signature of Gazettes Medical Officer)

Dr. PARVEEN KUMAR
MBBS. MD.
MCI Regd. No-24267
Official Seal



Signature of Candidate

This is a routine medical fitness certificate based on general physical examination. This certificate does not rule out the possibility of covid 19 infection.

19/3/21

VARDAAN HOSPITAL & TRAUMA CENTRE

DATE 17/11/21

1. certify that I have carefully examined Sh./Km. Ashish Kumar son/daughter of
Shri Khushi Ram his/her age is
About 45y/m

BP 130/80

GIT NAD

CVS S1 S2

PR 88b/m

GUT NAD

RESP Adequate

TEMP 98.4 F

COUGH No

SORE THROAT No

COLD No

Parveen
(Signature of Gazettes Medical Officer)



Dr. PARVEEN KUMAR
MBBS. MD
MCI Regd. No-24261
Official Seal

Signature of Candidate

This is a routine medical fitness certificate based on general physical examination. This certificate does not rule out the possibility of covid 19 infection.

Annexure-VII

Copy of STP water bill

TAX INVOICE

PAWAN KHATANA

VILLAGE DHUNELA ,TEHSIL SOHNA, DISSTT. GURGAON,HARYANA:122103

M/S

ST. PATRICKS REALTY PVT. LTD.
CENTRAL PARK 3, FLOWER VALLEY,
SEC. 33, SOHNA, GGN

INVOICE NO: 61

DATE: 11.12.2021

STATE: HARYANA

PARTY GSTIN: 06AAMCS1877J1ZU

P.O NO.

DATE: 1.11.21 TO 30.11.21

S.no.	DATE	SILIP NO.	VEH. NO.	PARTICULARS	HSN/SAC CODE	QTY(litr.)	RATE	AMOUNT RS.	P
	1.11.21 TO 30.11.21			250000*14=350000		350000	0.12	42000	
					TOTAL			42000	
AMOUNT IN WORDS:									
forty two thousand only									
					GRAND TOTAL			42000	

E. & O.E.

1. ALL DISPUTES ARE SUBJECT TO SOHNA JURISDICTION.
2. GOODS ONCE SOLD WILL NOT TAKEN BACK

FOR PAWAN KHATAJA

Pawan Khatana
AUTH. SIGNA.

TAX INVOICE

PAWAN KHATANA

VILLAGE DHUNELA ,TEHSIL SOHNA, DISSTT. GURGAON,HARYANA:122103

M/S

ST. PATRICKS REALTY PVT. LTD.
CENTRAL PARK 3, FLOWER VALLEY,
SEC. 33, SOHNA, GGN

INVOICE NO: 60

DATE: 11.12.2021

STATE: HARYANA

PARTY GSTIN: 06AAMCS1877J1ZU

P.O NO.

DATE: 1.10.21 TO 31.10.21

S.no.	DATE	SILIP NO	VEH. NO.	PARTICULARS	HSN/SAC CODE	QTY(litr.)	RATE	AMOUNT RS.	P
	1.10.21 TO 31.10.21			250000*10=250000		250000	0.12	30000	
TOTAL								30000	

AMOUNT IN WORDS:

thirty thousand only

GRAND TOTAL


30000

E. & O.E.

1. ALL DISPUTES ARE SUBJECT TO SOHNA JURISDICTION.
2. GOODS ONCE SOLD WILL NOT TAKEN BACK

FOR PAWAN KHATAJA

AUTH. SIGNA.



TAX INVOICE

SURENDER KUMAR

OPP. CENTRAL BANK OF INDIA, SILANI GATE,
JHAJJAR, HARYANA, 124103

M/S

ST. PATRICKS REALTY PVT. LTD.
CENTRAL PARK 3, FLOWER VALLEY,
SEC. 33, SOHNA, GGN

INVOICE NO: 73

DATE: 11.12.2021

STATE:

HARYANA

PARTY GSTIN:

P.O NO.

DATE: 1.10.21 TO 31.10.21

S.no.	DATE	SILIP NO	VEH. NO.	PARTICULARS	HSN/SAC CODE	QTY(litr.)	RATE	AMOUNT RS.	P
	1.10.21 TO 31.10.21			14500*2=29000 23000*28=644000		673000	0.07	47110	
TOTAL								47110	
AMOUNT IN WORDS:									
forty seven thousand one hundred ten									